

# August Collection Tall Four Basket Storage Unit

Assembly Instructions. Adult Assembly Required.
Read all instructions before use.

This manual is part of the product and must be kept for future reference.



## MODEL NUMBER\*: **75015**

### **VERSION CODE\*:** 1.0/1015/TG

\* Model and Version numbers are needed if replacement parts are requested

**FOR REPLACEMENT PARTS:** http://www.badgerbasket.com/parts



#### **BEFORE YOU BEGIN ASSEMBLY:**

Check all parts and hardware. If any part is missing or not satisfactory, please DO NOT call the store or return the product to them. Please go online to:

http://www.badgerbasket.com/parts

Most problems are resolved without you needing to leave home. When contacting us, please have this instruction manual, your product model number, and your Version Code ready.

Your Model Number is: <u>75015</u> Your Version Code is: <u>1.0/1015/TG</u>

#### **USE AND CARE INSTRUCTIONS:**

Wipe clean with a damp cloth and mild soap as needed. Dry thoroughly. Spot clean baskets as needed. Never immerse baskets in water.



### WARNING


ADULT ASSEMBLY REQUIRED
DUE TO THE PRESENCE OF SMALL PARTS AND SHARP
POINTS DURING ASSEMBLY, KEEP OUT OF REACH OF
CHILDREN UNTIL ASSEMBLY IS COMPLETE.

WARNING - FAILURE TO FOLLOW THESE WARNINGS AND THE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH

READ ALL INSTRUCTIONS before use of this product.

Keep instructions for future use. Use only the parts and hardware provided by Badger Basket. Do not use the product if it is damaged, broken, or missing parts. DO NOT allow anyone to climb, sit on, stand on, or play on or inside of this product. It is not a seat, step stool, or ladder. Periodically check to make sure all the hardware remains tight. No product is a replacement for adult supervision.

Badger Basket, PO Box 227, Edgar, WI 54426-0227 USA • Web: www.badgerbasket.com U.S. Based Customer Service Toll-Free (Mon-Thurs 7:00 AM-4:00 PM CST): 1-800-236-1310 Phone: 715-352-2311 • Fax: 715-352-3163



NOTE: The prongs on PARTS J must be fitted into the openings on PARTS H and I.

